

LIQUID HANDLING

08



→ Pipette Tip	86-88
→ Pipette Tip Box	89
→ Pyrogen-free Universal Pipette Tips	90-91
→ Pipette tip for Automatic System	92-94
→ Pipettor & Reagent Reservoir	95
→ Transfer Pipette	96-99
→ Serological Pipette	100-102





Pipette Tip

- ◆ The pipette tip is made of medical grade polypropylene (PP) raw material. Excellent molding process guarantee each tips straight, no bending and deformation, with high quality and precision.
- ◆ The inner surface of the low residue tip is treated by coating process, which has super hydrophobicity. Almost no sample liquid retains in the pipette tip during liquid release.
- ◆ Filtered tips prevent aerosol cross-contamination between pipette and sample.
- ◆ The optimized shape of the medical tips is designed for versatility and is perfectly adapted to pipettes like Gilson, TECAN, Eppendorf, Thermo (Finn), Keeven, Hamilton, DLab and other well-known brands at home and abroad.
- ◆ General grade and PCR grade are available according to different requirements. Produced in 100,000 class clean room, up to PCR clean grade, Free of DNAase, RNAase, pyrogen.

Three packaging methods



Bagged pack



Boxed pack



Stacked pack



KJ401



KJ403



KJ404



KJ417-1



KJ403-1




KJ418-1

REF	MAT	* mm	μL					Original REF.
KJ401	PP	Ø8×70	1000	500	-	10000	Tip for Eppendorf	121-01801
KJ403	PP	Ø6×48	200	1000	-	20000	Tip for Eppendorf	121-01401
KJ404	PP	Ø5×46	10	1000	-	50000	Tip for Eppendorf	121-01101
KJ417-1	PP	Ø8×70	1000	-	100	100×50	Boxed filter tips for Eppendorf STERILE EO or STERILE R	121-01802
KJ403-1	PP	Ø6×48	200	-	96	96×50	Boxed filter tips for Eppendorf STERILE EO or STERILE R	121-01402
KJ418-1	PP	Ø5×46	10	-	96	96×50	Boxed filter tips for Eppendorf STERILE EO or STERILE R	121-01102

*Typical dimensions for reference only. Actual product may vary.



Pipette Tip




REF	MAT	* []						Original REF.
KJ405	PP	Ø8×71mm	1000µL	500	-	10000	Universal tip	121-02801
KJ405-1	PP	Ø8×78mm	1000µL	500	-	10000	Universal tip	121-02803
KJ405-2	PP	Ø8×87mm	1000µL	500	-	10000	Universal tip	121-02804
KJ406	PP	Ø6×52mm	200µL	1000	-	20000	Universal tip	121-02401
KJ413	PP	Ø6×52mm	200µL	1000	-	20000	Universal tip, with graduation	121-02101
KJ424	PP	Ø6×90mm	200µL	1000	-	20000	Universal tip, with graduation	121-15401
KJ408	PP	Ø5×32mm	10µL	1000	-	50000	Universal tip	121-02802
KJ408-1	PP	Ø5×45mm	10µL	1000	-	50000	Universal tip	121-02104
KJ417	PP	Ø8×71mm	1000µL	-	100	100×50	Universal filter tips STERILE EO OR STERILE R	121-02402
KJ418	PP	Ø6×52mm	200µL	-	96	96×50	Universal filter tips STERILE EO OR STERILE R	121-02102
KJ413-1	PP	Ø6×52mm	200µL	-	96	96×50	Universal filter tips, with graduation STERILE EO OR STERILE R	121-03403
KJ418-2	PP	Ø5×32mm	10µL	-	96	96×50	Universal filter tips STERILE EO OR STERILE R	121-03401

*Typical dimensions for reference only. Actual product may vary.



Pipette Tip



REF	MAT	*					Original REF.
KJ409	PP	Ø6×49mm	250µL	1000	20000	Tip for Qiuqing	121-04501
KJ410	PP	Ø6×50mm	250µL	1000	20000	Tip for Qiuqing	121-04502
KJ411	PP	Ø7.4×70mm	1000µL	500	10000	Tip for Qiuqing	121-04801
KJ419-3	PP	Ø6×52mm	200µL	1000	20000	Tip for D-LAB	121-05401
KJ430-2	PP	Ø8×70mm	1000µL	500	10000	Tip for D-LAB	121-05801
KJ420	PP	Ø13×147mm	5mL	300	3000	Tip for D-LAB	121-05901
KJ421	PP	Ø9×146mm	5mL	300	3000	Tip for Finn	121-03901

*Typical dimensions for reference only. Actual product may vary.



Pipette Tip Box



REF	MAT			Original REF.
KJ448	PP	10µL	50Box	122-16101
KJ447	PP	200µL	50Box	122-16401
KJ411-4	PP	1000µL	50Box	122-16801
KJ422-1	PP	5mL	30Box	122-16901
KJ422-3	PP	10mL	30Box	122-16001



Pyrogen-free Universal Pipette Tips

- ◆ The pipette tips are made of medical-grade polypropylene by advanced production techniques. Straight without any bending or deformation, ensuring high quality and handling precision.
- ◆ Produced in a ISO Class 6 cleanroom, these pipette tips meet high cleanliness requirements to ensure superior purity and quality, and are free of DNase, RNase, and pyrogens.
- ◆ KANGJIAN® pipette tips feature a universally compatible design, perfectly fitting pipettors from a variety of well-known brands.
- ◆ The tips with filters prevent aerosol cross-contamination between the pipettor and samples.
- ◆ Available in multiple packaging options, including bulk pack bags, specialized tip boxes, multi-layer stacking.



REF		L*	Bagged	Boxed	Stacked			Original REF.
KJ415	10μL	32mm	1000	-	-	50000	Colorless, Bagged	123-15101
KJ415-2	10μL	32mm	-	96	-	4800	Colorless, Boxed	123-15102
KJ415-3	10μL	32mm	1000	-	-	50000	Colorless with Filter, Bagged	123-15103
KJ415-4	10μL	32mm	-	96	-	4800	Colorless with Filter, Boxed	123-15104
KJ415-5	10μL	32mm	-	-	96×10	9600	Colorless, Stacked	123-15109
KJ455	10μL (Extended)	46mm	1000	-	-	50000	Colorless, Bagged	123-15105
KJ455-1	10μL (Extended)	46mm	-	96	-	4800	Colorless, Boxed	123-15106
KJ455-2	10μL (Extended)	46mm	1000	-	-	50000	Colorless with Filter, Bagged	123-15107
KJ455-3	10μL (Extended)	46mm	-	96	-	4800	Colorless with Filter, Boxed	123-15108
KJ414	200μL	51mm	1000	-	-	20000	Yellow or colorless, Bagged	123-15401
KJ414-3	200μL	51mm	-	96	-	4800	Yellow or colorless, Boxed	123-15402
KJ414-4	200μL	51mm	1000	-	-	20000	Yellow or colorless with Filter, Bagged	123-15403
KJ414-5	200μL	51mm	-	96	-	4800	Yellow or colorless with Filter, Boxed	123-15404
KJ414-6	200μL	51mm	-	-	96×10	9600	Colorless, Stacked	123-15409

*Typical dimensions for reference only. Actual product may vary.



Pyrogen-free Universal Pipette Tips

REF		 L*	 Bagged	 Boxed	 Stacked			Original REF.
KJ454	200µL	60mm	1000	-	-	20000	Colorless, Bagged	123-15405
KJ454-1	200µL	60mm	-	96	-	4800	Colorless, Boxed	123-15406
KJ454-2	200µL	60mm	1000	-	-	20000	Colorless with Filter, Bagged	123-15407
KJ454-3	200µL	60mm	-	96	-	4800	Colorless with Filter, Boxed	123-15408
KJ453	200µL (Extended)	89mm	1000	-	-	10000	Colorless, Bagged	123-15411
KJ453-1	200µL (Extended)	89mm	-	96	-	4800	Colorless, Boxed	123-15412
KJ453-2	200µL (Extended)	89mm	1000	-	-	10000	Colorless with Filter, Bagged	123-15413
KJ453-3	200µL (Extended)	89mm	-	96	-	4800	Colorless with Filter, Boxed	123-15414
KJ405-3	1000µL	71mm	500	-	-	10000	Colorless or Blue, Bagged	123-15810
KJ405-4	1000µL	71mm	-	100	-	5000	Colorless or Blue, Boxed	123-15811
KJ405-5	1000µL	71mm	500	-	-	10000	Colorless or Blue with Filter, Bagged	123-15812
KJ405-6	1000µL	71mm	-	100	-	5000	Colorless or Blue with Filter, Boxed	123-15813
KJ405-7	1000µL	71mm	-	-	100×8	8000	Colorless or Blue, Stacked	123-15814
KJ412	1000µL	78mm	500	-	-	10000	Colorless or Blue, Bagged	123-15801
KJ412-2	1000µL	78mm	-	100	-	5000	Colorless or Blue, Boxed	123-15802
KJ412-3	1000µL	78mm	500	-	-	10000	Colorless or Blue with Filter, Bagged	123-15803
KJ412-4	1000µL	78mm	-	100	-	5000	Colorless or Blue with Filter, Boxed	123-15804
KJ412-5	1000µL	78mm	-	-	100×8	8000	Colorless or Blue, Stacked	123-15809
KJ407	1000µL	87mm	500	-	-	10000	Colorless or Blue, Bagged	123-15815
KJ407-1	1000µL	87mm	-	100	-	5000	Colorless or Blue, Boxed	123-15816
KJ407-2	1000µL	87mm	500	-	-	10000	Colorless or Blue with Filter, Bagged	123-15817
KJ407-3	1000µL	87mm	-	100	-	5000	Colorless or Blue with Filter, Boxed	123-15818
KJ407-4	1000µL	87mm	-	-	100×8	8000	Colorless or Blue, Stacked	123-15819
KJ462	1250µL (Extended)	102mm	1000	-	-	10000	Colorless, Bagged	123-15805
KJ462-1	1250µL (Extended)	102mm	-	96	-	4800	Colorless, Boxed	123-15806
KJ462-2	1250µL (Extended)	102mm	1000	-	-	10000	Colorless with Filter, Bagged	123-15807
KJ462-3	1250µL (Extended)	102mm	-	96	-	4800	Colorless with Filter, Boxed	123-15808

*Typical dimensions for reference only. Actual product may vary.




Pipette tip for Automatic System

- These tips are designed for excellent liquid treatment result, Under strict quality control procedures to ensure consistency to get excellent tip straightness and reduced variation coefficient.
- The tips are produced in Class 100,000 clean workshop, made from imported polypropylene material. Each batch is strictly evaluated, DNase-free, RNase-free, pyrogen-free, Without endotoxin or PCR inhibitor.

Reloaded tips for TECAN



Reloaded tips for ADDCARE



REF		*	Paper box	Inner box	Outer carton	For TECAN automatic system 96 PCS Clear tips + 96 PCS Conductive tips	Original REF.
KJ449-2	200µL	127×88×95mm	96+96 PCS	[96+96]×12	[96+96]×12×4	For TECAN automatic system 96 PCS Clear tips + 96 PCS Conductive tips	124-07401
KJ449-3	1000µL	127×88×159mm	96+96 PCS	[96+96]×12	[96+96]×12×4	For TECAN automatic system 96 PCS Clear tips + 96 PCS Conductive tips	124-07801
KJ450	300µL	125×82×96mm	192 PCS	192×12	192×12×4	For ADDCARE automatic system 96+96 PCS Clear tip	124-10601
KJ451	800µL	125×82×126mm	192 PCS	192×12	192×12×4	For ADDCARE automatic system 96+96 PCS Clear tip	124-10701

*Typical dimensions for reference only Actual product may vary



Pipette tip for Automatic System

Boxed tips for TECAN

**KJ441****KJ442****KJ443****KJ444**

Boxed tips for AGILENT

**KJ445**

Boxed tips for BECKMAN

**KJ446**

REF					Original REF.
KJ441	200µL	96	50	Boxed conductive tips for TECAN	124-07402
KJ442	1000µL	96	50	Boxed conductive tips for TECAN	124-07802
KJ443	200µL	96	50	Boxed tips for TECAN	124-07403
KJ444	1000µL	96	50	Boxed tips for TECAN	124-07803
KJ445	30µL	384	50	Boxed tips for Agilent	124-08201
KJ446	250µL	96	50	Boxed tips for Beckman	124-09501



Pipette tip for Automatic System

Boxed tips for HAMILTON



REF					Original REF.
KJ458	50µL	96	50	50ul Hamilton conductive tips (Clear tip customizable)	124-17051
KJ459	300µL	96	50	300ul Hamilton conductive tips (Clear tip customizable)	124-17601
KJ459-1	300µL	96	50	300ul Hamilton conductive tips, extended (Clear tip customizable)	124-17602
KJ460	1000µL	96	50	1000ul Hamilton conductive tips	124-17801
KJ460-1	1000µL	96	50	1000ul Hamilton colorless tips	124-17802



Pipettor & Reagent Reservoir

**KJ411-1****KJ449****KJ411-2****KJ426-9****KJ426**

REF	MAT				Original REF.
KJ411-1	PVC	250mL	800	Reagent reservoir	125-0001
KJ449	PP	10mL×10Channel	Customized	Multi-Channel Reagent reservoir	125-0002
KJ411-2	PP	3mL×12Channel	Customized	Multi-Channel Reagent reservoir Screen printing serial number	125-0003
KJ426-9	-	-	Customized	Thermofisher / BIO-DL Pipettor, 1-channel / 8-channel / 12-channel	126-0200
KJ426	ABS	-	Customized	Stand for Pipettor	127-0001



Transfer Pipette

- Made of superior FDA certified LDPE material, Non-toxic, adapted to draw, transfer or carry for small volume liquid.
- Optimizing process on surface tension, easy for the liquid flowing.
- High transparency, easy to observe.
- Can be bend with a certain angle, which is convenient for drawing or adding liquid in irregular or micro container.
- High elasticity, adapted to fast liquid transfer without leakage.
- Convenient and accurate for use with good repeatability.
- Heat-seal on the tip of the pipette can achieve liquid carry.
- Available in bulk or individual pack.
- Available in E.O. or Gamma radiation sterile.




Individual paper-plastic packed



Multiple paper-plastic packed



Unique Box packaging design, for easy use.




REF	* Length	* Total Volume	* Bulb Volume	* Drop Count (1mL)	* Scale Value	Packing	Original REF.
KJ601	60mm	1.0mL	0.76mL	65±4	-	2000 pcs/bag, 10 bags/carton	141-001
KJ601-1	63mm	1.0mL	0.76mL	66±4	-	2000 pcs/bag, 10 bags/carton	141-002
KJ603	80mm	2.0mL	1.4mL	110±4	-	2000 pcs/bag, 10 bags/carton	141-003
KJ603-1	102mm	1.4mL	0.8mL	136±4	-	200 pcs/bag, 60 bags/carton	141-004
KJ604	148mm	6.0mL	5.0mL	116±4	-	500 pcs/bag, 10 bags/carton	141-005
KJ602	63mm	0.9mL	0.76mL	45±3	20/10 µl	2000 pcs/bag, 10 bags/carton	141-006
KJ605	64mm	1.4mL	1.24mL	41±2	-	2000 pcs/bag, 10 bags/carton	141-007
KJ606	67mm	1.0mL	0.65mL	26±2	200 µl	2000 pcs/bag, 10 bags/carton	141-008

*Typical data for reference only. Actual product may vary.



Transfer Pipette




REF	*Length	*Total Volume	*Bulb Volume	*Drop Count (1mL)	*Scale Value	Packing	Original REF.
KJ607	85mm	1.3mL	0.76mL	41±2	-	2000 pcs/bag, 10 bags/carton	141-009
KJ608	115mm	1.2mL	0.76mL	33±1	-	2000 pcs/bag, 10 bags/carton	141-010
KJ609	150mm	4.6mL	1.4mL	30±1	1/0.75/0.5/0.25ml	400 pcs/bag, 10 bags/carton	141-011
KJ612	130mm	1.5mL	0.8mL	44±2	0.5/0.4/0.3/0.2/0.1ml	2000 pcs/bag, 10 bags/carton	141-012
KJ633	150mm	4.3mL	5.0mL	31±1	-	500 pcs/box, 10 boxes/carton	141-013
KJ617	143mm	4.0mL	0.76mL	27±1	1/0.75/0.5/0.25ml	500 pcs/box, 10 boxes/carton	141-014
KJ618	146mm	5.25mL	1.24mL	24±1	1/0.75/0.5/0.25ml	500 pcs/box, 10 boxes/carton	141-015
KJ619	150mm	5.77mL	0.65mL	29±1	1/0.75/0.5/0.25ml	500 pcs/box, 10 boxes/carton	141-016
KJ620	148mm	5.13mL	1.0mL	24±1	2.25/2/1.75/1.5/1.25/1/0.75/0.5ml	500 pcs/box, 10 boxes/carton	141-017
KJ621	157mm	7.4mL	0.84mL	25±1	3/2.5/2/1.5/1/0.5ml	500 pcs/box, 10 boxes/carton	141-018

*Typical data for reference only. Actual product may vary



Transfer Pipette



REF	* Length	* Total Volume	* Bulb Volume	* Drop Count (1mL)	* Scale Value	Packing	Original REF.
KJ622	158mm	7.63mL	4.4mL	24±1	3/2.5/2/1.5/1/0.5ml	500 pcs/box, 10 boxes/carton	141-019
KJ626	177mm	7.9mL	4.9mL	26±1	3/2.5/2/1.5/1/0.5ml	500 pcs/box, 10 boxes/carton	141-020
KJ620-1	154mm	6.7mL	3.8mL	29±1	2/1ml	500 pcs/box, 10 boxes/carton	141-037
KJ647	153mm	8.24mL	6.5mL	23±1	-	500 pcs/box, 10 boxes/carton	141-038
KJ623	65mm	0.5mL	0.4mL(double-bulb)	43±2	-	2000 pcs/bag, 10 bags/carton	141-021
KJ624	86mm	0.55mL	0.4mL(double-bulb)	43±2	-	2000 pcs/bag, 10 bags/carton	141-022
KJ645-1	108mm	0.72mL	0.6mL(double-bulb)	43±2	-	2000 pcs/bag, 10 bags/carton	141-023
KJ645-2	106mm	0.70mL	0.6mL(double-bulb)	45±2	-	2000 pcs/bag, 10 bags/carton	141-042
KJ641	138mm	2.23mL	1.45mL	29±1	-	500 pcs/box, 18 boxes/carton	141-024
KJ640	134mm	1.2mL	0.5mL	21±1	300μl	200 pcs/bag, 60 bags/carton	141-025
KJ630	75mm	2.0mL	1.4mL	32±1	-	1000 pcs/bag, 10 bags/carton	141-027
KJ625	78.4mm	1.9mL	1.34mL	45±1	-	2000 pcs/bag, 10 bags/carton	141-028

*Typical data for reference only. Actual product may vary



Transfer Pipette

KJ625-1



KJ606-1



KJ606-2




KJ606-3



KJ643



KJ644




KJ642



KJ642-1



KJ638



REF	*Length	*Total Volume	*Bulb Volume	*Drop Count (1mL)	*Scale Value	Packing	Original REF.
KJ625-1	135mm	1.0mL	0.6mL	36±1	0.5/0.25ml	2000 pcs/bag, 10 bags/carton	141-029
KJ606-1	80mm	0.6mL	0.44mL	36±1	-	2000 pcs/box, 10 boxes/carton	141-030
KJ606-2	75mm	0.29mL	0.15mL	50±2	20µl	2000 pcs/bag, 10 bags/carton	141-040
KJ606-3	73mm	0.28mL	0.15mL	50±2	20µl	2000 pcs/bag, 10 bags/carton	141-041
KJ643	154mm	3.3mL	1.9mL	23±1	1/0.5mL, 150/75/50µl	500 pcs/bag, 10 bags/carton	141-032
KJ644	138mm	2.7mL	1.5mL	26±1	1000/500/20/10µl	500 pcs/bag, 10 bags/carton	141-033
KJ642	208mm	13.22mL	12.9mL	22±1	-	250 pcs/bag, 8 bags/carton	141-034
KJ642-1	204mm	12.3mL	7.0mL	21±1	5/4/3/2/1ml	500 pcs/box, 8 boxes/carton	141-039
KJ638	225mm	5.5mL	3.6mL	30±1	1mL-0.1ml	500 pcs/box, 10 boxes/carton	141-035

*Typical data for reference only. Actual product may vary.




Serological Pipette

The product is made of imported high quality polystyrene (GPPS) in class 100,000 clean workshop. Novel aspiration area design can fit most of the pipettors on the market. Mainly used for accurate measure or transfer for certain volume liquid and is widely employed in the field of cell culture, bacteriology, clinical research, etc..

Available in six capacity: 1.0mL, 2.0mL, 5.0mL, 10.0mL, 25.0mL, 50.0mL. Graduations are calibrated within $\pm 2\%$.

- ◆ 1.0mL, 2.0mL, 5.0mL pipettes are shaped by stretching method.
- ◆ 5.0mL, 10.0mL, 25.0mL, 50.0mL pipettes tips are welded to the tube by supersonic wave.
- ◆ Smooth and clean without drawing lines.
- ◆ Different colors correspond to different specification, easy to distinguish.
- ◆ Maximally reduce the liquid adhesion to the tube inner wall and thus improve the sampling accuracy.
- ◆ Excellent double-side graduation design ideally meet with the demand for liquid adding or reducing.
- ◆ Clear and simple graduation, as well as the negative one for extra volume, makes the liquid drawing and reading easier.
- ◆ All serological pipettes are assembled with high quality filters.
- ◆ Strict integrity test on every pipette.
- ◆ Non-sterile or sterilized by Radiation / E.O.
- ◆ Available with non-pyrogenic and DNase/RNase-free.



Stretched tip & Welded tip.



With filters, different colors correspond to different volumes.



Individual paper-plastic peel pack.




Individual plastic peel pack.

REF	MAT	*							Original REF.
KJ9010	GPPS	Ø5×280mm	1mL	100	300	1800	STERILE R	Stretched tip, Individual pack	131-0111
KJ9012	GPPS	Ø5×280mm	1mL	25	1000	4000	STERILE R	Stretched tip, Bluk Pack	131-0112
KJ9020	GPPS	Ø6×280mm	2mL	100	300	1800	STERILE R	Stretched tip, Individual pack	131-0211
KJ9022	GPPS	Ø6×280mm	2mL	25	100	4600	STERILE R	Stretched tip, Bluk Pack	131-0212
KJ9050	GPPS	Ø8×347mm	5mL	50	200	1200	STERILE R	Stretched tip, Individual pack	131-0511
KJ9052	GPPS	Ø8×347mm	5mL	25	500	2000	STERILE R	Stretched tip, Bluk Pack	131-0512
KJ9050-1	GPPS	Ø8×345mm	5mL	50	200	1200	STERILE R	Welded tip, Individual pack	131-0521
KJ9052-1	GPPS	Ø8×345mm	5mL	25	500	2000	STERILE R	Welded tip, Bluk Pack	131-0522
KJ9100	GPPS	Ø10×342mm	10mL	50	200	1200	STERILE R	Stretched tip, Individual pack	131-1011
KJ9102	GPPS	Ø10×342mm	10mL	25	500	2000	STERILE R	Stretched tip, Bluk Pack	131-1012
KJ9100-1	GPPS	Ø10×340mm	10mL	50	200	1200	STERILE R	Welded tip, Individual pack	131-1021
KJ9102-1	GPPS	Ø10×340mm	10mL	25	500	2000	STERILE R	Welded tip, Bluk Pack	131-1022
KJ9250	GPPS	Ø15×310mm	25mL	25	100	600	STERILE R	Welded tip, Individual pack	131-2521
KJ9252	GPPS	Ø15×310mm	25mL	25	500	1000	STERILE R	Welded tip, Bluk Pack	131-2522
KJ9500	GPPS	Ø18×355mm	50mL	25	100	400	STERILE R	Welded tip, Individual pack	131-5021
KJ9502	GPPS	Ø18×355mm	50mL	25	250	1000	STERILE R	Welded tip, Bluk Pack	131-5022
KJ9145	PS	Ø6×145mm			50	200	STERILE R	Pasteur pipette, Individual pack	132-1001
KJ9230	PS	Ø6×230mm			50	200	STERILE R	Pasteur pipette, Individual pack	132-1002

*Typical dimensions for reference only. Actual product may vary.



Serological Pipette



KJ9010

KJ9020

KJ9050

KJ9050-1

KJ9100

KJ9100-1

KJ9250


KJ9500

KJ9145

KJ9230



Serological Pipette



REF	MAT	*							Original REF.
KJ9053	GPPS	Ø10×235mm	5mL (Short style)	100	300	1800	STERILE R	Welded tip, Individual pack	131-0531
KJ9104	GPPS	Ø12.5×240mm	10mL (Short style)	25	1000	6000	STERILE R	Injection molding, Individual pack	131-1031
KJ9103	GPPS	Ø15×23.5mm	10mL (Short style)	100	300	1800	STERILE R	Welded tip, Individual pack	131-1041
KJ9253	GPPS	Ø18.5×23.5mm	25mL (Short style)	25	600	3600	STERILE R	Welded tip, Individual pack	131-2531

*Typical dimensions for reference only. Actual product may vary.

KJ9000 Electronic Pipette

◆ KANGJIAN electronic pipette is designed and manufactured with advanced concepts and technologies. It features a smooth and attractive appearance, compact and robust structure, wide applicability, and simple operation.

◆ In addition to meeting basic pipetting requirements, this electronic pipette optimizes the user experience. Its sensitive speed control enables smooth and easy pipetting and separation of various liquids. The LCD display clearly shows battery level, suction force, and dispensing speed. It performs excellently in removing or adding cell culture media during cell seeding or passaging. Flexible and comfortable liquid handling makes experimental procedures more efficient.



KJ9000

Aspiration Speed	25mL in <5 seconds (6 adjustable levels)	Compatible Pipettes	Plastic or glass pipettes (0.1-100mL), Pasteur pipettes		
Dispensing Speed	6-speed electric control or gravity discharge	Filter	0.45µm hydrophobic membrane	Battery Type	Lithium-ion Battery
Net Weight	520g	Charging Time	2-3 hours	Full Battery Operating Time	>8 hours of intermittent operation